

Roberts F23 Feather

RLA Polymers Pty Ltd Chemwatch: 53-76461 Version No: 4.1.1.1 Safety Data Sheet according to WHS and ADG requirements Chemwatch Hazard Alert Code: 3

Issue Date: **21/01/2020** Print Date: **29/03/2020** S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier				
Product name	Roberts F23 Feather			
Synonyms				
Other means of identification	Not Available			
Relevant identified uses of the s	ubstance or mixture and uses advised against			
Relevant identified uses	Finishing Mortar. Use according to manufacturer's directions.			
Details of the supplier of the saf	ety data sheet			
Registered company name	RLA Polymers Pty Ltd			
Address	215 Colchester Road Kilsyth VIC 3137 Australia			
Telephone	+61 3 9728 1644			
Fax	+61 3 9728 6009			
Website	www.rlagroup.com.au			
Email	sales@rlagroup.com.au			
Emergency telephone number				
Association / Organisation	RLA Polymers Pty Ltd			
Emergency telephone numbers	+61 3 9728 1644 (RLA Group Technical Manager) business hours			
Other emergency telephone numbers	132766 (Security Monitoring Service)			
SECTION 2 HAZARDS IDEN	TIFICATION			

Classification of the substance or mixture

SIGNAL WORD

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable					
Classification ^[1]	rious Eye Damage Category 1, Skin Sensitizer Category 1					
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI					
Label elements	· · · · · · · · · · · · · · · · · · ·					
Hazard pictogram(s)						

Hazard	statement(s)
--------	--------------

H318	Causes serious eye damage.
------	----------------------------

DANGER

Roberts Fino Page 2 of 10

Chemwatch: 53-76461 Version No: 4.1.1.1

H317	May cause an allergic skin reaction.					
Precautionary statement(s) Prev	rention					
P280	Wear protective gloves/protective clothing/eye protection/face protection.					
P261	Avoid breathing dust/fumes.					
P272	Contaminated work clothing should not be allowed out of the workplace.					
Precautionary statement(s) Res	ponse					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P310	Immediately call a POISON CENTER or doctor/physician.					
P321	Specific treatment (see advice on this label).					
P363	Wash contaminated clothing before reuse.					
Precautionary statement(s) Stor	age					
Not Applicable						

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name			
65997-15-1	1-10	portland cement			
Not Available	>90	Ingredients determined not to be hazardous			
SECTION 4 FIRST AID MEASURES					

scription of first aid measures	3
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	► If fumes, aerosols or combustion products are inhaled remove from contaminated area. ► Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed Treat

symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
 Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
----------------------	-------------

Advice for firefighters

		Roberts Fino		
Chemwatch: 53-76461		Page 3 of 10	Issue Date: 21/01/2020	
Version No: 4.1.1.1			Print Date: 29/03/2020	
	Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 		
Fire/Ex	plosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Decomposition may produce toxic fumes of: metal oxides May emit corrosive fumes. 		
	HAZCHEM	Not Applicable		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.
Major Spills	Moderate hazard. • CAUTION: Advise personnel in area. • Alert Emergency Services and tell them location and nature of hazard. • Control personal contact by wearing protective clothing.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

.	► Avoid all personal contact, including inhalation.
	Wear protective clothing when risk of exposure occurs.
Safe handling	▶ Use in a well-ventilated area.
	Prevent concentration in hollows and sumps.
	▶ Store in original containers.
	▶ Keep containers securely sealed.
Other information	Store in a cool, dry area protected from environmental extremes.
	 Store away from incompatible materials and foodstuff containers.
nditions for safe storage, inc	luding any incompatibilities
	Paper bag, plastic sealed container (air tight), pail.
Suitable container	Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag.
Curtable container	NOTE: Bags should be stacked, blocked, interlocked, and limited in height so that they are stable and secure against sliding or collapse. Check that all containers are clearly labelled and free from leaks. Packing as recommended by manufacturer.
Storage	WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively.
incompatibility	The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or poly fluorobenzene show extreme sensitivity to heat and are explosive.

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	portland cement	Portland cement	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

EMERGENCY LIMITS				
Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
Roberts Fino	Not Available	Not Available	Not Available	Not Available

Version No: **4.1.1.1**

Ingredient	Original IDLH	Revised IDLH	
portland cement	5,000 mg/m3	Not Available	
xposure controls			
Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier bet can be highly effective in protecting workers and will typically be indepe The basic types of engineering controls are: Process controls which involve changing the way a job activity or proces Enclosure and/or isolation of emission source which keeps a selected h strategically "adds" and "removes" air in the work environment.	ndent of worker interactions to provide this high level of protection. ss is done to reduce the risk.	
Personal protection			
Eye and face protection	 Safety glasses with side shields. Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. 		
Skin protection	See Hand protection below		
Hands/feet protection	NOTE: • The material may produce skin sensitisation in predisposed individual equipment, to avoid all possible skin contact. • Contaminated leather items, such as shoes, belts and watch-bands. The selection of suitable gloves does not only depend on the material, the manufacturer. Where the chemical is a preparation of several substance advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the making a final choice. Personal hygiene is a key element of effective hand care. Experience indicates that the following polymers are suitable as glove in particles are not present. • polychloroprene. • nitrile rubber. • butyl rubber.	should be removed and destroyed. but also on further marks of quality which vary from manufacturer to es, the resistance of the glove material can not be calculated in the manufacturer of the protective gloves and has to be observed when	
Body protection			
Other protection	▶ Overalls. ▶ P.V.C. apron. ▶ Barrier cream.		

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

• Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

• Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program. • Use approved positive flow mask if significant quantities of dust becomes airborne. • Try to avoid creating dust conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Version No: 4.1.1.1

Appearance	Brown Powder; miscible with water.		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)		VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5
SECTION 11 TOXICOLOGIC	AL INFORMATION

nformation on toxicological effects		
Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.	
Ingestion	Ingestion may result in nausea, abdominal irritation, pain and vomiting	
Skin Contact	There is some evidence to suggest that this material can cause inflammation of the skin on contact in some persons.	
Eye	If applied to the eyes, this material causes severe eye damage.	
Chronic	Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Cement contact dermatitis (CCD) may occur when contact shows an allergic response, which may progress to sensitisation. Sensitisation is due to soluble chromates (chromate compounds) present in trace amounts in some cements and cement products. Soluble chromates readily penetrate intact skin. Cement dermatitis can be characterised by fissures, eczematous rash, dystrophic nails, and dry skin; acute contact with highly alkaline mixtures may cause localised necrosis. Overexposure to the breathable dust may cause coughing, wheezing, difficulty in breathing and impaired lung function. Chronic symptoms may include decreased vital lung capacity and chest infections. Repeated exposures in the workplace to high levels of fine-divided dusts may produce a condition known as pneumoconiosis, which is the lodgement of any inhaled dusts in the lung, irrespective of the effect. This is particularly true when a significant number of particles less than 0.5 microns (1/50000 inch) are present.	

Chemwatch: 53-76461	Roberts		Issue Date: 21/01/202
ersion No: 4.1.1.1			Print Date: 29/03/202
	тохісіту	IRRITATION	
Roberts Fino			
	Not Available	Not Available	
	тохісіту	IRRITATION	
portland cement			
	Not Available	Not Available	
Legend:	 Value obtained from Europe ECHA Registered Subst specified data extracted from RTECS - Register of Toxic 		ned from manufacturer's SDS. Unless otherwise
		a group and may not be specific to this product. Ict eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact une reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, ificance of the contact allergen is not simply determined by its sensitisation potential: th contact with it are equally important. en years after exposure to the material ends. This may be due to a non-allergic condition S) which can occur after exposure to high levels of highly irritating compound. Main evious airways disease in a non-atopic individual, with sudden onset of persistent cumented exposure to the irritant. Other criteria for diagnosis of RADS include a reversil are bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal hificant acute toxicological data identified in literature search.	
PORTLAND CEMENT	eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for cc Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever	Ine reaction of the delayed type. Other ficance of the contact allergen is not so ontact with it are equally important. In years after exposure to the material S) which can occur after exposure to avious airways disease in a non-atopio umented exposure to the irritant. Other re bronchial hyperreactivity on method	ar allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main cindividual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal
PORTLAND CEMENT	eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for cc Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever	Ine reaction of the delayed type. Other ficance of the contact allergen is not so ontact with it are equally important. In years after exposure to the material S) which can occur after exposure to avious airways disease in a non-atopio umented exposure to the irritant. Other re bronchial hyperreactivity on method	ar allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main cindividual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal
	eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for cc Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever	Ine reaction of the delayed type. Other ficance of the contact allergen is not sontact with it are equally important. In years after exposure to the material S) which can occur after exposure to vivious aliways disease in a non-atopic umented exposure to the irritant. Other re bronchial hyperreactivity on methan ificant acute toxicological data identifi	ar allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main in cindividual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal
Acute Toxicity Skin	eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for cc Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever	Ine reaction of the delayed type. Other ficance of the contact allergen is not so ontact with it are equally important. In years after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopio umented exposure to the irritant. Other re bronchial hyperreactivity on methac ificant acute toxicological data identifit Carcinogenicity	ar allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main in cindividual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal
Acute Toxicity Skin Irritation/Corrosion Serious Eye	eczema involves a cell-mediated (T lymphocytes) immu involve antibody-mediated immune reactions. The signif distribution of the substance and the opportunities for cc Asthma-like symptoms may continue for months or ever known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever	Ine reaction of the delayed type. Other ficance of the contact allergen is not sontact with it are equally important. In years after exposure to the material S) which can occur after exposure to vious airways disease in a non-atopic umented exposure to the irritant. Other re bronchial hyperreactivity on methac ificant acute toxicological data identific Carcinogenicity Reproductivity STOT - Single	ar allergic skin reactions, e.g. contact urticaria, simply determined by its sensitisation potential: the ends. This may be due to a non-allergic condition high levels of highly irritating compound. Main c individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible choline challenge testing, and the lack of minimal

SECTION 12 ECOLOGICAL INFORMATION

ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
NotNotNot	Not AvailableNot Available	AvailableAvailableAvailable		
ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Not Available	Not Available	Not Available	Not Available	Not Available
 Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data 				
	NotNotNot ENDPOINT Not Available	NotNotNot Not AvailableNot Available ENDPOINT TEST DURATION (HR) Not Not Available Available Extracted from 1. IUCLID Toxicity Data 2. Europ	NotNotNot Not AvailableNot Available ENDPOINT TEST DURATION (HR) SPECIES Not Available Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicolo	NotNotNot Not AvailableNot Available ENDPOINT TEST DURATION (HR) SPECIES VALUE Not Not Available Not Not Available Available Not Available Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquai

DO NOT discharge into sewer or waterways.

Chemwatch: **53-76461** Version No: **4.1.1.1**

Persistence and degradability

Ingredient Persistence: Water/Soil		Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Bioaccumulative potential

p	
Ingredient	Bioaccumulation
	No Data available for all ingredients
Mobility in soil	
··· , ···	
Ingredient	Mobility

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods Product / Packaging disposal • DO NOT allow wash water from cleaning or process equipment to enter drains. • It may be necessary to collect all wash water for treatment before disposal. • In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. • Where in doubt contact the responsible authority. • Recycle wherever possible or consult manufacturer for recycling options. • Consult State Land Waste Management Authority for disposal. • Bury residue in an authorised landfill. • Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required		
	Marine Pollutant	NO
	HAZCHEM	Not Applicable
Ē	Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

No Data available for all ingredients

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

PORTLAND CEMENT IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory Status

National Inventory	Status
Australia - AICS	Yes
Canada - DSL	Yes
Canada - NDSL	No (portland cement)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (portland cement)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	No (portland cement)

		Roberts Fino		
Chemwatch: 53-76461		Page 8 of 10	Issue Date: 21/01/2020	
Version No: 4.1.1.1			Print Date: 29/03/2020	
USA - TSCA	Yes			
Taiwan - TCSI	Yes			

Print Date: 29/03/2020

Version No: 4.1.1.1

Mexico - INSQ	Yes			
Vietnam - NCI	Yes			
Russia - ARIPS	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)			

SECTION 16 OTHER INFORMATION

Revision Date	21/01/2020			
Initial Date	22/08/2019			
SDS Version Summary				
Version	Issue Date	Sections Updated		
3.1.1.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification		
4.1.1.1	21/01/2020	Name		

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit_{\circ}

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.

Version No: 4.1.1.1

Print Date: 29/03/2020

